

# EC Declaration of Performance

## Nº 20190510-06



**Rait AS**  
**Reola 61707, Tartumaa, Estonia**  
**2013**

Hereby the undersigned declares that the following product group is being produced in conformity with the provisions of:

### EC Regulation No 305/2011 Construction Products

and fulfills  
the product CE label marking characteristics, which are described in:

#### EN 14915:2013

Fire retardant finishing compound system  
**Tikkurila Fontefire WF + Tikkurila Ultra Pro**

Notified body no. 0416

Kiwa Inspecta (Inspecta Sertifioinitt Oy) has issued the certificate of constancy of performance:

**0416-CPR-10796**

On the basis of applying the factory production control system, continuous surveillance, assessment and evaluation:

- inspection of the manufacturing plant and implementing the FPC.

#### Outdoor usage Solid wood panelling

#### Assessment and Verification of Constancy of Performance, AVCP system 1

Characteristics	Performance	Technical specification
Reaction to fire	B-s1-d0	EN 14915:2013
Indoor/Outdoor usage	E	EN 14915:2013
Wall element	W	EN 14915:2013
Species code	PCAB	EN 13556:2003
Natural durability class	4 according to EN460	EN 14915:2013
Mean density and min thicknesses of the timber	460kg/m <sup>3</sup> according to EN350-2, 9/6	EN 14915:2013
Water vapour permeability	65µ	EN 14915:2013
Sound absorption	NPD	
Thermal conductivity	0,11W(m·K)	EN 14915:2013
Formaldehyde class	E1	EN 14915:2013
PCP class	PCP<5ppm	EN 14915:2013

Ivar Dembovski  
Chairman  
Date of issue: 10.05.2019

