

EC Declaration of Performance

№ 20190510-05



Rait AS
Reola 61707, Tartumaa, Estonia
2013

Hereby the undersigned declares that the following product group is being produced in conformity with the provisions of:

EC Regulation No 305/2011 Construction Products

and fulfils
the product CE label marking characteristics, which are described in:

EN14915:2013

Fire retardant finishing compound system:
Teknos Teknosafe 2467-00+Teknoclear Aqua 1331-01

Notified body no. 0416

Kiwa Inspecta (Inspecta Sertifioinitti Oy) has issued the certificate of constancy of performance:

0416-CPR-10796

On the basis of applying the factory production control system, continuous surveillance, assessment and evaluation:

- inspection of the manufacturing plant and implementing the FPC.

Indoor usage
Solid wood panels and cladding
Assessment and Verification of Constancy of Performance, AVCP system 1

Characteristics	Performance	Technical specification
Reaction to fire	B-s1, d0	EN 14915:2013
Indoor/Outdoor usage	I	EN 14915:2013
Wall and/or ceiling element	WC	EN 14915:2013
Species code	WPPA	EN 13556:2003
Natural durability class	4 according to EN350	EN 14915:2013
Mean density and min thicknesses of the timber	450kg/m ³ , 9/6	EN 14915:2013
Water vapour permeability	65μ	EN 14915:2013
Sound absorption	NPD	
Thermal conductivity	0,11W(m·K)	EN 14915:2013
Formaldehyde class	E1	EN 14915:2013
PCP class	PCP<5ppm	EN 14915:2013

Ivar Dembovski
Chairman
Date of issue: 10.05.2019

