

# EC Declaration of Performance

## № 20190510-06



**Rait AS**  
**Reola 61707, Tartumaa, Estonia**  
**2013**

Hereby the undersigned declares that the following product group is being produced in conformity with the provisions of:

### EC Regulation No 305/2011 Construction Products

and fulfills  
the product CE label marking characteristics, which are described in:

#### EN 14915:2013

Fire retardant finishing compound system  
**Tikkurila Fontefire WF + Tikkurila Ultra Pro**

Notified body no. 0416

Kiwa Inspecta (Inspecta Sertifioinitti Oy) has issued the certificate of constancy of performance:

**0416-CPR-10796**

On the basis of applying the factory production control system, continuous surveillance, assessment and evaluation:

- inspection of the manufacturing plant and implementing the FPC.

**Outdoor usage**  
**Solid wood panelling**

### Assessment and Verification of Constancy of Performance, AVCP system 1

| Characteristics                                | Performance                                    | Technical specification |
|--|--|-------------------------|
| Reaction to fire                               | B-s1-d0  | EN 14915:2013           |
| Indoor/Outdoor usage                           | E  | EN 14915:2013           |
| Wall element                                   | W  | EN 14915:2013           |
| Species code                                   | PCAB   | EN 13556:2003           |
| Natural durability class                       | 4 according to EN460                           | EN 14915:2013           |
| Mean density and min thicknesses of the timber | 460kg/m <sup>3</sup> according to EN350-2, 9/6 | EN 14915:2013           |
| Water vapour permeability                      | 65µ  | EN 14915:2013           |
| Sound absorption                               | NPD  |                         |
| Thermal conductivity                           | 0,11W/(m·K)                                    | EN 14915:2013           |
| Formaldehyde class                             | E1   | EN 14915:2013           |
| PCP class                                      | PCP<5ppm                                       | EN 14915:2013           |

Ivar Dembovski  
Chairman  
Date of issue: 10.05.2019

